



Soils Map



Soils data provided by USDA and NRCS.



State: **Oklahoma**
 County: **Garfield**
 Location: **24-20N-6W**
 Township: **South Garfield**
 Acres: **80.9**
 Date: **9/18/2025**

LRA LIPPARD
 REAL ESTATE AND AUCTION

Maps Provided By:



Area Symbol: OK047, Soil Area Version: 21

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Irr Class *c	Range Production (lbs/acre/yr)	Alfalfa hay Tons	Barley Bu	Caucasian bluestem AUM	Cotton lint Lbs	Grain sorghum Bu	Improved bermudagrass AUM	Introduced bluestem AUM	Oats Bu
PrA	Port silt loam, 0 to 1 percent slopes, occasionally flooded	34.36	42.5%		Ilw	Ilw	5795	5			13	49	9		
VcC2	Grainola-Masham complex, 3 to 5 percent slopes, eroded	20.06	24.8%		IVe		0		2				2	1	
Br	Pulaski and Ashport soils, 0 to 1 percent slopes, frequently flooded	12.88	15.9%		Vw		6300			1	25	3	8		
Po	Port clay loam, 0 to 1 percent slopes, occasionally flooded	11.25	13.9%		Ilw		6127	5			13	49	9		

Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Irr Class *c	Range Production (lbs/acre/yr)	Alfalfa hay Tons	Barley Bu	Caucasian bluestem AUM	Cotton lint Lbs	Grain sorghum Bu	Improved bermudagrass AUM	Introduced bluestem AUM	Oats Bu
Vs	Masham-Rock outcrop complex, 3 to 20 percent slopes	2.28	2.8%		Vle		1588		2				2	1	
KnA	Kirkland silt loam, 0 to 1 percent slopes, cool	0.07	0.1%		IIIs	IIIs	3890		4		22	35	4	5	34
Weighted Average					3.09	*-	4364.4	2.8	0.6	0.2	11.3	28.1	6.9	0.3	*-

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

*- Irr Class weighted average cannot be calculated on the current soils data due to missing data.