



Soils Map



©2026 AgriData, Inc.



State: Oklahoma

County: Kingfisher

Location: 28-16N-9W

Township: Kingfisher

Acres: 158.88

Date: 2/16/2026

LRA LIPPARD
REAL ESTATE AND AUCTION

Maps Provided By:

surety
CUSTOMIZED ONLINE MAPPING
© AgriData, Inc. 2025
www.AgriDataInc.com



Soils data provided by USDA and NRCS.

Area Symbol: OK073, Soil Area Version: 21

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Irr Class *c	Range Production (lbs/acre/yr)	Alfalfa hay Tons	Barley Bu	Cantaloupe Crates	Caucasian bluestem AUM	Cotton lint Lbs	Grain sorghum Bu	Improved bermudagrass AUM	Intro blue AUM
KgD3	Kingfisher-Lucien complex, 5 to 8 percent slopes, eroded	61.71	38.9%	Yellow		IVe	0							3	1
PoA	Ashport clay loam, 0 to 1 percent slopes, occasionally flooded	40.86	25.7%	Blue		IIw	IIw	5490	5			10	45		8
Ya	Yahola fine sandy loam, 0 to 1 percent slopes, occasionally flooded	30.23	19.0%	Orange		IIIe		5995		227	6	383	49		7
PsB	Dale silt loam, 1 to 3 percent slopes, rarely flooded	20.61	13.0%	Blue		IIe		6100	5			1	53	46	
KfC	Kingfisher silt loam, 3 to 5 percent slopes	5.47	3.4%	Orange		IIIe	IIIe	4565		1		17	3		1

Soils data provided by USDA and NRCS.

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Irr Class *c	Range Production (lbs/acre/yr)	Alfalfa hay Tons	Barley Bu	Cantaloupe Crates	Caucasian bluestem AUM	Cotton lint Lbs	Grain sorghum Bu	Improved bermudagrass AUM	Intro blue AUM
			Weighted Average	3.00	*	*	3501	1.9	*	43.2	3.8	80.3	28.1	4.8	

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method

*- Irr Class weighted average cannot be calculated on the current soils data due to missing data.